

国際事務局



WO 94/29224

1994年12月22日(22,12,94)

特許協力条約に基づいて公開された国際出願

(11) 国際公開番号 (51) 国際特許分類 5 C02F 3/10, 3/06 A1 (43) 国際公開日 PCT/JP94/00879 (21)国際出題番号 1994年5月31日(31.05.94) (22)国際出願日 (30) 優先権データ 1993年6月16日(16.06.93) JР 特顧平5/168349 (81) 指定国 1993年9月3日(03.09.93) JР 特顧平5/242115 JΡ 1994年3月16日(16.03.94) 特顧平6/46048 (71) 出願人(米国を除くすべての指定国について) 東洋電化工業株式会社(TOYO DENKA KOGYO CO., LTD)[JP/JP] 〒780 高知県高知市萩町2丁目2番25号 Kochi, (JP) (72)発明者;および (75)発明者/出願人(米国についてのみ) 山本哲平 (YAMAMOTO, Shinpei) [JP/JP] 〒780 嘉知県高知市玉水町59番地 Kochi (JP) 高木和広(TAKAGI, Kazuhiro)[JP/JP] 〒780 高知県高知市鴨部1513-1 鏡川コーポ2716 Kochi, (JP) 倩谷悦民(KIYOTANI, Etutami)[JP/JP] 〒781-02 高知県高知市瀬戸西町2丁目305 Kochi, (JP) 健元岩根(KAGIMOTO, Iwane){JP∕JP] 〒780 高知県高知市永国寺町1丁目27 Kochi, (JP) 苅谷信一(KARIYA, Shinichi)[JP/JP] 〒783 高知県南国市前浜2358 Kochi, (JP)

(74) 代理人 弁理士 高月 猛(TAKATSUKI, Takeshi) 〒105 東京都港区虎ノ門2丁目7番9号 第1岡名ビル 高月国際特許事務所 Tokyo, (JP)

BR, CA, US, 欧州特許(AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

添付公開書類


国際調査報告書

(54) Title: WATER TREATMENT METHOD AND WATER TREATMENT APPARATUS

(54) 発明の名称 水処理方法及び水処理装置


松本 槐(MATUMOTO, Satoshi)[JP/JP]

〒116 東京都荒川区東尾久2丁目29番9号 Tokyo, (JP)



(57) Abstract

This invention aims at providing water treatment techniques capable of carrying out a high-performance water purifying treatment by efficiently removing a synthetic organic compound, such as a surface active agent for a detergent puritying treatment by ethiciently removing a synthetic organic compound, such as a surface active agent for a detergent and components of agricultural chemicals from contaminated water having a comparatively low load of, for example, BOD. To achieve this object, a utilizable filter medium formed by depositing a substrate having a specific utilizability by the target microorganisms on a porous base material, such as charcoal, is used as the filter medium, with which contaminated water to be treated is brought into contact under aerobic conditions. Using the utilizable filter medium in this manner enables specified microorganisms having a high efficiency of removing synthetic organic contaminants to be selectively utilized, and synthetic organic compounds to be afficiently removed. to be selectively utilized, and synthetic organic compounds to be efficiently removed.



The Delphion Integrated View

Purchase Document:

PDF (~2280 KB) | More choices...

Other Views:

Expand Details | INPADOC | De

Derwent...

itle: WO9429224A1: WATER TREATMENT METHOD AND WATER TREAT

APPARATUS

► Want to see a more descriptive title highlighting what's new about this inventic

Country: WO World Intellectual Property Organization (WIPO)

Kind: A1 Publ.of the Int.Appl. with Int.search report

Inventor(s): YAMAMOTO, Shinpei

TAKAGI, Kazuhiro KIYOTANI, Etutami KAGIMOTO, Iwane KARIYA, Shinichi MATUMOTO, Satoshi

Applicant/Assignee:
Inquire Regarding
Licensing

TOYO DENKA KOGYO CO., LTD.

YAMAMOTO, Shinpei TAKAGI, Kazuhiro KIYOTANI, Etutami KAGIMOTO, Iwane KARIYA, Shinichi MATUMOTO, Satoshi

News, Profiles, Stocks and More about this company

issued/Filed Dates: Dec. 22, 1994 / May 31, 1994

Application Number: WO1994JP0000879

IPC Class: C02F 3/10; C02F 3/06;

Interested in classification by use rather than just by description?

ECLA Code: C02F3/06;

Priority Number(s): June 16, 1993 JP1993005168349

Sept. 3, 1993 JP1993005242115 March 16, 1994 JP1994000646048

INPADOC Legal Show legal status actions Status:


Designated AT Countries:
Abstract: This

AT BE BR CA CH DE DK ES FR GB GR IE IT LU MC NL PT SE US

This invention aims at providing water treatment techniques capable

C.H.I

of carrying out a high-performance water purifying treatment by efficiently removing a synthetic organic compound, such as a surface active agent for a detergent and components of agricultural chemicals from contaminated water having a comparatively low load of, for example, BOD. To achieve this object, a utilizable filter medium formed by depositing a substrate having a specific utilizability by the target microorganisms on a porous base material, such as charcoal, is used as the filter medium, with which



contaminated water to be treated to prought into contact under aerobic conditions. Using the utilizable filter medium in this manner enables specified microorganisms having a high efficiency of removing synthetic organic contaminants to be selectively utilized, and synthetic organic compounds to be efficiently removed. [Show in French]

See a clear and precise summary of the whole patent, in understandable terms.

Family:

Show known family members

No patents reference this one

Other Abstract Info:

DERABS C95-036315 DERC95-036315

Foreign

References:





Nominate this for the Gallery ...

Subscribe | Privacy Policy | Terms & Conditions | FAQ | Site Map | Help | Contact Us © 1997 - 2002 Delphion Inc.